

COVID-19 DONATION GUIDELINES



Please Wait

Please wait here to have your temperature taken and answer a few questions related to any potential COVID-19 symptoms.

If you've received a **COVID-19 Vaccine** you are eligible to donate **2 full days after receiving the vaccine**. Example: Received vaccine on Monday, eligible to donate on Thursday.



ALL DONORS

Do not donate if you currently have:

- Fever
- Cough
- Shortness of breath or difficulty breathing
- Chills
- Repeated shaking with chills
- Muscle pain
- Headache
- Sore throat
- New loss of taste or smell

Health care workers exposed to COVID – 19

You are eligible to donate if you have been consistently using PPE and are asymptomatic.

You should not donate blood for 14 days if you have:

- Been diagnosed with or suspected of having COVID-19, with symptomatic infection.
- Had a positive diagnostic test for SARS-CoV-2 (e.g., nasopharyngeal swab), but never developed symptoms.

You should not donate blood for 14 days after your close contact's symptoms have resolved if you have:

- Lived with individuals diagnosed with or suspected of having COVID-19 infection.
- Cared for individuals diagnosed with or suspected of having COVID-19 infection, without using gloves and a mask.

Individuals who are tested and found positive for SARS-CoV-2 antibodies, but who did not have prior diagnostic testing and never developed symptoms, can donate without a waiting period and without performing a diagnostic test (e.g., nasopharyngeal swab).